Author Index 2005

Abrão, A M	The machining of aluminium alloy 6351	27
Afify, A A	Machine-learning techniques and their applications in manufacturing	395
Agarwal, S	A new surface roughness prediction model for ceramic grinding	811
Al-Yahmadi, A S	Dynamic simulation of error attenuation in a smart tool post	611
Ambrogio, G	A simple approach for reducing profile diverting in a single point incremental forming process	823
Antony, J	An application of Six Sigma methodology to reduce the engine-overheating problem in an automotive company	633
Au, K C	A genetic algorithm approach to bin packing in an ion plating cell	1
Austin, E M	Optimization of a piezoelectric bimorph grasper for use in minimally invasive surgical applications	673
Badrossamay, M	Selective laser sintering (melting) of stainless and tool steel powders: experiments and modelling	339
Barton, J S	The effects of progressive wear on the frequency characteristic of acoustic emission acquired during face milling	803
Belhadi, S	Experimental and numerical study of chip formation during straight turning of hardened AISI 4340 steel	515
Bernard, A	Virtual engineering: methods and tools	413
Boulanouar, L	Experimental and numerical study of chip formation during straight turning of hardened AISI 4340 steel	515
Boulanouar, L	The effects of cutting conditions on mixed ceramic and cubic boron nitride tool wear and on surface roughness during machining of X200Cr12 steel (60 HRC)	35
Bravo, U	The milling of airframe components with low rigidity: a general approach to avoid static and dynamic problems	789
Brissaud, D	Self-excited vibratory drilling: a dimensionless parameter approach for guiding experiments	73
Burgess, S C	The development of a remanufacturing platform design: a strategic response to the Directive on Waste Electrical and Electronic Equipment	623
Cai, W	A computational design-of-experiments study of hemming processes for automotive aluminium alloys	711
Campa, F J	The milling of airframe components with low rigidity: a general approach to avoid static and dynamic problems	789
Cao, X M	Finite element simulation of the thermal properties of particulate and continuous network-reinforced metal-matrix composites	111
Cascini, G	Integrated design of turbomachinery through a STEP-XML platform for data exchange	547
Chan, F T S	A genetic algorithm approach to bin packing in an ion plating cell	1
Chan, P L Y	A genetic algorithm approach to bin packing in an ion plating cell	1
Chaoui, K	The effects of cutting conditions on mixed ceramic and cubic boron nitride tool wear and on surface roughness during machining of X200Cr12 steel (60 HRC)	35
Chen, Y H	Haptic rendering: an approach to tactile property perception in early product design	891
Cheung, C F	Knowledge-based inventory management in production logistics: a multi-agent approach	299
Childs, T H C	Selective laser sintering (melting) of stainless and tool steel powders: experiments and modelling	339
Chin, D H	Cutting force monitoring in the endmilling operation for chatter detection	455
Choi, W C	Static and dynamic analysis of a nanopositioning flexure-hinge stage with a flexible lever mechanism	447
Coelho, R T	Detection of cracks in scratching tests in ceramic materials through acoustic emission	685
Cooper, A G	Rapid prototyping methods of silicon carbide micro heat exchangers	525
Cross, M	A methodology for developing company-specific design process models	265
Cui, Y	Exact and heuristic algorithms for staged cutting problems	201
Das, N S	Slipline field solutions for metal machining with adhesion friction and elastic effects at the chip–tool contact region	57
De Napoli, L	A simple approach for reducing profile diverting in a single point incremental forming process	823

© IMechE 2005

Derks, W W C	A model of exceptions in sales-order-processing workflows	209
Dülger, L C	Design of a pile-yarn-manipulating mechanism	539
Ding, S	Boundary-conformed machining of turbine blades	255
Drake, P R	Comparison of neural and minimum distance classifiers in wood veneer defect identification	831
Dundur, S T	Slipline field solutions for metal machining with adhesion friction and elastic effects at the chip–tool contact region	57
Ebeid, S J	Surface improvement through hybridization of electrochemical turning and roller burnishing based on the Taguchi technique	423
Egan, I	Measuring performance change in the mechanical design process arena	851
El-Taweel, T A	Surface improvement through hybridization of electrochemical turning and roller burnishing based on the Taguchi technique	423
Fenn, R	Remote edge detection of subcutaneous stiffeners	579
Filice, L	A simple approach for reducing profile diverting in a single point incremental forming process	823
Filice, L	On the effectiveness of numerical simulation in the prediction of profile distortion in extrusion	603
Fourie, C J	Intelligent scheduling using a neural network model in conjunction with reinforcement learning	229
Fuh, J Y H	Effect and control of hatch length on material properties in the direct metal laser sintering process	15
Fujimura, S	Investigation of adsorption behaviour of lubricants in near-dry machining	665
Gagliardi, F	On the effectiveness of numerical simulation in the prediction of profile distortion in extrusion	603
Gardiner, P D	Measuring performance change in the mechanical design process arena	851
Giovani, G	Integrated design of turbomachinery through a STEP-XML platform for data exchange	547
Gouskov, A	Self-excited vibratory drilling: a dimensionless parameter approach for guiding experiments	73
Grujicic, M	Optimization of a piezoelectric bimorph grasper for use in minimally invasive surgical applications	673
Guh, R-S	Real-time pattern recognition in statistical process control: a hybrid neural network/decision tree-based approach	283
Hadfield, M	The polishing process of advanced ceramic balls using a novel eccentric lapping machine	493
Hadfield, M	The effects of lapping load in finishing advanced ceramic balls on a novel eccentric lapping machine	505
Han, Z	Boundary-conformed machining of turbine blades	255
Harding, J A	An inter-enterprise semantic web system to support information autonomy and conflict moderation	903
Harper, T E	Driver swingweighting: a worthwhile process?	385
Harrison, R	A component-based control system for agile manufacturing	123
Harrison, R	Application of enterprise modelling technique for specifying a component-based system	649
Harvey, D	The effects of progressive wear on the frequency characteristic of acoustic emission acquired during face milling	803
Hauser, C	Selective laser sintering (melting) of stainless and tool steel powders: experiments and modelling	339
Herranz, S	The milling of airframe components with low rigidity: a general approach to avoid static and dynamic problems	789
Hinduja, S	Systematic development and evaluation of composite methods for recognition of three-dimensional subtractive features	871
Hon, K K B	Wear and cutting forces in high-speed machining of H13 using physical vapour deposition coated carbide tools	191
Hu, S J	A computational design-of-experiments study of hemming processes for automotive aluminium alloys	711
Huang, L-S	Friction tests in tube hydroforming	587
Hwang, E J	Static and dynamic analysis of a nanopositioning flexure-hinge stage with a flexible lever mechanism	447
Hwang, Y-M	Friction tests in tube hydroforming	587
Inasaki, I	Investigation of adsorption behaviour of lubricants in near-dry machining	665
Iyer, K	A computational design-of-experiments study of hemming processes for automotive aluminium alloys	711
Jackson, M J	Primary chip formation during the micromachining of engineering materials	245
Jain, P K	Comparative study of genetic algorithm and simulated annealing for optimal tolerance design formulated with discrete and continuous variables	735
Jain, S C	Comparative study of genetic algorithm and simulated annealing for optimal tolerance design formulated with discrete and continuous variables	735
Jakobsen, M L	The effects of progressive wear on the frequency characteristic of acoustic emission acquired during face milling	803

 © IMechE 2005

Jeswiet, J	Forming limit diagrams for single-point incremental forming of aluminium sheet	359
Jones, J D	The effects of progressive wear on the frequency characteristic of acoustic emission acquired during face milling	803
Jones, R	Driver swingweighting: a worthwhile process?	385
Kamnev, E	Self-excited vibratory drilling: a dimensionless parameter approach for guiding experiments	73
Kang, J	The effects of lapping load in finishing advanced ceramic balls on a novel eccentric lapping machine	505
Kang, J	The polishing process of advanced ceramic balls using a novel eccentric lapping machine	493
Kim, B M	Process design of a permalloy shielding can for shape fixability	723
Kim, D H	Process design of a permalloy shielding can for shape fixability	723
Kim, H K	Process design of a permalloy shielding can for shape fixability	723
Kim, K H	A new deburring tool for intersecting holes	865
Kim, Y	Arc sensor model using multiple-regression analysis and a neural network	431
King, A M	The development of a remanufacturing platform design: a strategic response to the Directive on Waste Electrical and Electronic Equipment	623
Kireçci, A	Design of a pile-yarn-manipulating mechanism	539
Kumar, A	Determination of an optimal assembly sequence using the psychoclonal algorithm	137
Kumar, M	An application of Six Sigma methodology to reduce the engine-overheating problem in an automotive company	633
Kwok, S K	Knowledge-based inventory management in production logistics: a multi-agent approach	299
López de Lacalle, L N	The milling of airframe components with low rigidity: a general approach to avoid static and dynamic problems	789
Lamikiz, A	The milling of airframe components with low rigidity: a general approach to avoid static and dynamic problems	789
Lee, D H	Optimal distribution of drawing strains in the two-pass tube drawing process	595
Lee, S B	Process design of a permalloy shielding can for shape fixability	723
Lee, S M	A component-based control system for agile manufacturing	123
Li, J	Exact and heuristic algorithms for staged cutting problems	201
Lian, L L	Haptic rendering: an approach to tactile property perception in early product design	891
Lin, G	A computational design-of-experiments study of hemming processes for automotive aluminium alloys	711
Lin, H K	An inter-enterprise semantic web system to support information autonomy and conflict moderation	903
Lin, M F	Geometric modelling of an elliptic ball-end mill	87
Lin, P D	Geometric modelling of an elliptic ball-end mill	87
Liu, H-C	Rapid prototyping methods of silicon carbide micro heat exchangers	525
Liu, X D	Finite element simulation of the thermal properties of particulate and continuous network-reinforced metal-matrix composites	111
Mabrouki, T	Experimental and numerical study of chip formation during straight turning of hardened AISI 4340 steel	515
Marin, S P	A computational design-of-experiments study of hemming processes for automotive aluminium alloys	711
Mativenga, P T	Wear and cutting forces in high-speed machining of H13 using physical vapour deposition coated carbide tools	191
Micari, F	On the effectiveness of numerical simulation in the prediction of profile distortion in extrusion	603
Mileham, A R	Determination of an optimal assembly sequence using the psychoclonal algorithm	137
Min, K S	Static and dynamic analysis of a nanopositioning flexure-hinge stage with a flexible lever mechanism	447
Min, S	Investigation of adsorption behaviour of lubricants in near-dry machining	665
Monfared, R P	Application of enterprise modelling technique for specifying a component-based system	649
Moon, Y H	Optimal distribution of drawing strains in the two-pass tube drawing process	595
Muzzupappa, M	A simple approach for reducing profile diverting in a single point incremental forming process	823
Ning, Y	Effect and control of hatch length on material properties in the direct metal laser sintering process	15
Oliveira, J F G	Detection of cracks in scratching tests in ceramic materials through acoustic emission	685
Ong, M H	Application of enterprise modelling technique for specifying a component-based system	649
Onwubolu, G C	Optimization of milling operations for the selection of cutting conditions using Tribes	761
Owodunni, O	Systematic development and evaluation of composite methods for recognition of three-dimensional subtractive features	871
Packianather, M S	Comparison of neural and minimum distance classifiers in wood veneer defect identification	831
Park, N J	A new deburring tool for intersecting holes	865
Peigné, G	Self-excited vibratory drilling: a dimensionless parameter approach for guiding experiments	73

Pham, D T	Machine-learning techniques and their applications in manufacturing	395
Pons, D J	Simulation of key performance characteristics under uncertainty	151
Prakash	Determination of an optimal assembly sequence using the psychoclonal algorithm	137
Prinz, F B	Rapid prototyping methods of silicon carbide micro heat exchangers	525
Raine, J K	Simulation of key performance characteristics under uncertainty	151
Rao, P V	A new surface roughness prediction model for ceramic grinding	811
Rashid, M K	Dynamic simulation of error attenuation in a smart tool post	611
Reis, D D	The machining of aluminium alloy 6351	27
Reuben, R L	The effects of progressive wear on the frequency characteristic of acoustic emission acquired during face milling	803
Rhee, S	Arc sensor model using multiple-regression analysis and a neural network	431
Rigal, J-F	Experimental and numerical study of chip formation during straight turning of hardened AISI 4340 steel	515
Rigal, J-F	The effects of cutting conditions on mixed ceramic and cubic boron nitride tool wear and on surface roughness during machining of X200Cr12 steel (60 HRC)	35
Rissone, P	Integrated design of turbomachinery through a STEP-XML platform for data exchange	547
Ritchie, J M	Measuring performance change in the mechanical design process arena	851
Rivero, A	The milling of airframe components with low rigidity: a general approach to avoid static and dynamic problems	789
Roberts, J R	Driver swingweighting: a worthwhile process?	385
Rotini, F	Integrated design of turbomachinery through a STEP-XML platform for data exchange	547
Sánchez, J A	The milling of airframe components with low rigidity: a general approach to avoid static and dynamic problems	789
Sanchez, L E A	Detection of cracks in scratching tests in ceramic materials through acoustic emission	685
Singh, P K	Comparative study of genetic algorithm and simulated annealing for optimal tolerance design formulated with discrete and continuous variables	735
Sivaloganathan, S	A methodology for developing company-specific design process models	265
Song, S H	Static and dynamic analysis of a nanopositioning flexure-hinge stage with a flexible lever mechanism	447
Suda, S	Investigation of adsorption behaviour of lubricants in near-dry machining	665
Tang, D	Partnership development between product customer and tool and die supplier	365
Tang, Y	On the prediction of passive contact forces of workpiece–fixture systems	309
Teoh, P C	An inter-enterprise semantic web system to support information autonomy and conflict moderation	903
Tiwari, M K	An application of Six Sigma methodology to reduce the engine-overheating problem in an automotive company	633
Tiwari, M K	Determination of an optimal assembly sequence using the psychoclonal algorithm	137
Topalbekiroğlu, M	Design of a pile-yarn-manipulating mechanism	539
Tsuru, H	Rapid prototyping methods of silicon carbide micro heat exchangers	525
Ukar, E	The milling of airframe components with low rigidity: a general approach to avoid static and dynamic problems	789
Uslan, I	CO_2 laser cutting: kerf width variation during cutting	571
Van Tyne, C J	Optimal distribution of drawing strains in the two-pass tube drawing process	595
Wakabayashi, T	Investigation of adsorption behaviour of lubricants in near-dry machining	665
Wang, M Y	On the prediction of passive contact forces of workpiece–fixture systems	309
Wang, W M	Knowledge-based inventory management in production logistics: a multi-agent approach	299
Wang, Z	Exact and heuristic algorithms for staged cutting problems	201
Watson, J C	Remote edge detection of subcutaneous stiffeners	579
West, A A	A component-based control system for agile manufacturing	123
West, A A	Application of enterprise modelling technique for specifying a component-based system	649
Weston, R H	A model of exceptions in sales-order-processing workflows	209
Wilkinson, P	The effects of progressive wear on the frequency characteristic of acoustic emission acquired during face milling	803
Wong, Y S	Effect and control of hatch length on material properties in the direct metal laser sintering process	15
Wu, C S	Modelling the transient behaviours of a fully penetrated gas–tungsten arc weld pool with surface deformation	99
Xiong, C-H	On the prediction of passive contact forces of workpiece–fixture systems	309
Xiong, Y-L	On the prediction of passive contact forces of workpiece–fixture systems	309
Yallese, M A	The effects of cutting conditions on mixed ceramic and cubic boron nitride tool wear and on surface roughness during machining of X200Cr12 steel (60 HRC)	35
Yang, D C H	Boundary-conformed machining of turbine blades	255

 © IMechE 2005

Yang, Z Y	Haptic rendering: an approach to tactile property perception in early product design	891
Yoon, M C	Cutting force monitoring in the endmilling operation for chatter detection	455
Young, D	Forming limit diagrams for single-point incremental forming of aluminium sheet	359
Zhang, H	Finite element simulation of the thermal properties of particulate and continuous network-reinforced metal-matrix composites	111
Zhang, J S	Finite element simulation of the thermal properties of particulate and continuous network-reinforced metal-matrix composites	111
Zhang, Y M	Modelling the transient behaviours of a fully penetrated gas–tungsten arc weld pool with surface deformation	99
Zhao, C L	Optimization of a piezoelectric bimorph grasper for use in minimally invasive surgical applications	673
Zhao, P C	Modelling the transient behaviours of a fully penetrated gas–tungsten arc weld pool with surface deformation	99

Short Communications in Manufacture and Design

Ahn, S-H	Laser-marking process for liquid-crystal display light guide panel	565
Al-Habaibeh, A	Application of infrared technology for quality control of diesel engine glow plugs	483
Ali, L	Development of a STEP-compliant inspection framework for discrete components	557
Allen, R D	STEP-NC compliant information modelling for wire electrical discharge machining component manufacture	777
Allwood, J M	A structured search for applications of the incremental sheet-forming process by product segmentation	239
Alonso F J	Application of singular spectrum analysis to tool wear detection using sound signals	703
Back, C I	Laser-marking process for liquid-crystal display light guide panel	565
Chandra, A	Application of rapid manufacturing techniques in support of maxillofacial treatment: evidence of the requirements of clinical applications	469
Childs, T H C	Raster scan selective laser melting of the surface layer of a tool steel powder bed	379
Corley, J	Coordinating for service delivery in public–private partnership and private finance initiative construction projects: early findings from an exploratory study	165
Deasley, P	Coordinating for service delivery in public–private partnership and private finance initiative construction projects: early findings from an exploratory study	165
Denoual, M	Vacuum casting, a new answer for manufacturing biomicrosystems	697
Duflou, J	A structured search for applications of the incremental sheet-forming process by product segmentation	239
Filho, J M C	Prediction of the cutting tool edge position and orientation accuracy through error synthesis of spindle elements	477
Giménez, M	VERNE – a five-axis parallel kinematics milling machine	327
Harris, R A	Application of rapid manufacturing techniques in support of maxillofacial treatment: evidence of the requirements of clinical applications	469
Hascoët, J-Y	VERNE – a five-axis parallel kinematics milling machine	327
Hauser, C	Raster scan selective laser melting of the surface layer of a tool steel powder bed	379
Ho, K H	STEP-NC compliant information modelling for wire electrical discharge machining component manufacture	777
Holland, J	Application of rapid manufacturing techniques in support of maxillofacial treatment: evidence of the requirements of clinical applications	469
Hsu, Y-L	One-pass milling machining parameter optimization to achieve mirror surface roughness	177
Jackson, M R	Application of infrared technology for quality control of diesel engine glow plugs	483
Kang, H J	Laser-marking process for liquid-crystal display light guide panel	565
Kim, G-D	Laser-marking process for liquid-crystal display light guide panel	565
King, G P F	A structured search for applications of the incremental sheet-forming process by product segmentation	239
Lee, C S	Laser-marking process for liquid-crystal display light guide panel	565
Lepioufle, B	Vacuum casting, a new answer for manufacturing biomicrosystems	697
Levene, R	Coordinating for service delivery in public–private partnership and private finance initiative construction projects: early findings from an exploratory study	165
Martinez-Garcia, E A	Multi-robot communication architecture for human guiding	183
Mileham, A R	Comparison between fixed- and walking-worker assembly lines	845
Mognol, P	Vacuum casting, a new answer for manufacturing biomicrosystems	697
Newman, S T	Development of a STEP-compliant inspection framework for discrete components	557

Newman, S T	STEP-NC compliant information modelling for wire electrical discharge machining component manufacture	777
Ohya, A	Multi-robot communication architecture for human guiding	183
Owen, G W	Comparison between fixed- and walking-worker assembly lines	845
Parkin, R M	Application of infrared technology for quality control of diesel engine glow plugs	483
Petzing, J	Development of a STEP-compliant inspection framework for discrete components	557
Rowe, A	Coordinating for service delivery in public–private partnership and private finance initiative construction projects: early findings from an exploratory study	165
Rowson, J E	Application of rapid manufacturing techniques in support of maxillofacial treatment: evidence of the requirements of clinical applications	469
Salgado, D R	Application of singular spectrum analysis to tool wear detection using sound signals	703
Schroeter, R B	Prediction of the cutting tool edge position and orientation accuracy through error synthesis of spindle elements	477
Smart, P K	Coordinating for service delivery in public–private partnership and private finance initiative construction projects: early findings from an exploratory study	165
Song, C K	Laser-marking process for liquid-crystal display light guide panel	565
Teixeira, C R	Prediction of the cutting tool edge position and orientation accuracy through error synthesis of spindle elements	477
Terrier, M	VERNE – a five-axis parallel kinematics milling machine	327
Tranfield, D	Coordinating for service delivery in public–private partnership and private finance initiative construction projects: early findings from an exploratory study	165
Wang, Q	Comparison between fixed- and walking-worker assembly lines	845
Wang, S-G	One-pass milling machining parameter optimization to achieve mirror surface roughness	177
Watson, J	Application of rapid manufacturing techniques in support of maxillofacial treatment: evidence of the requirements of clinical applications	469
Williams, D J	Application of rapid manufacturing techniques in support of maxillofacial treatment: evidence of the requirements of clinical applications	469
Yoshida, T	Multi-robot communication architecture for human guiding	183
Yuta, S	Multi-robot communication architecture for human guiding	183
Zorriassatine, F	Application of infrared technology for quality control of diesel engine glow plugs	483

 © IMechE 2005